

**ANALYZED BY:**

Anresco Laboratories  
1375 Van Dyke Avenue,  
San Francisco, CA 94124  
C8-18-0000020-TEMP

**CLIENT:**

PO#: 2



**SAMPLE INFORMATION**

**Sample No.:** 1021803  
**Product Name:** Durban Poison  
**Matrix:** Other  
**Batch #:** 103120  
**PO Number:** 2

**Date Received:** 02/25/2019  
**Date Reported:** 03/05/2019

**TEST SUMMARY**

**Pesticide Residue Screen:** ✔ Pass

**Residual Solvent Screen:** ✔ Pass

**Overall:** ✔ Pass

**PESTICIDE RESIDUE SCREEN** ✔ Pass

03/05/2019

**Method:** QuEChERS, AOAC Official Method 2007.01 with modification

**Instrument:** Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Analyte	LOD / LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Abamectin	0.04/0.10	ND	0.1	Pass
Acephate	0.04/0.10	ND	0.1	Pass
Acequinocyl	0.04/0.10	ND	0.1	Pass
Acetamiprid	0.04/0.10	ND	0.1	Pass
Aldicarb	0.04/0.10	ND	0.0	Pass
Azoxystrobin	0.04/0.10	ND	0.1	Pass
Bifenazate	0.04/0.10	ND	0.1	Pass
Bifenthrin	0.20/0.50	ND	3.0	Pass
Boscalid	0.04/0.10	ND	0.1	Pass
Captan	0.25/0.70	ND	0.7	Pass
Carbaryl	0.20/0.50	ND	0.5	Pass
Carbofuran	0.04/0.10	ND	0.0	Pass
Chlorantraniliprole	0.04/0.10	ND	10.0	Pass
Chlordane	0.04/0.10	ND	0.0	Pass
Chlorfenapyr	0.04/0.10	ND	0.0	Pass
Chlorpyrifos	0.04/0.10	ND	0.0	Pass
Clofentezine	0.04/0.10	ND	0.1	Pass
Coumaphos	0.04/0.10	ND	0.0	Pass
Cyfluthrin	0.70/2.00	ND	2.0	Pass
Cypermethrin	0.35/1.00	ND	1.0	Pass
Daminozide	0.04/0.10	ND	0.0	Pass
DDVP (Dichlorovous)	0.04/0.10	ND	0.0	Pass
Diazinon	0.04/0.10	ND	0.1	Pass
Dimethoate	0.04/0.10	ND	0.0	Pass
Dimethomorph	0.04/0.10	ND	2.0	Pass
Ethoprop(hos)	0.04/0.10	ND	0.0	Pass
Etofenprox	0.04/0.10	ND	0.0	Pass
Etoxazole	0.04/0.10	ND	0.1	Pass
Fenhexamid	0.04/0.10	ND	0.1	Pass
Fenoxycarb	0.04/0.10	ND	0.0	Pass
Fenpyroximate	0.04/0.10	ND	0.1	Pass
Fipronil	0.04/0.10	ND	0.0	Pass
Fonicamid	0.04/0.10	ND	0.1	Pass
Fludioxanil	0.04/0.10	ND	0.1	Pass
Hexythiazox	0.04/0.10	ND	0.1	Pass
Imazalil	0.04/0.10	ND	0.0	Pass
Imidacloprid	0.04/0.10	ND	5.0	Pass
Kresoxim Methyl	0.04/0.10	ND	0.1	Pass
Malathion	0.20/0.50	ND	0.5	Pass
Metalaxyl	0.04/0.10	ND	2.0	Pass
Methiocarb	0.04/0.10	ND	0.0	Pass
Methomyl	0.04/1.00	ND	1.0	Pass
Methyl parathion	0.04/0.10	ND	0.0	Pass
Mevinphos	0.04/0.10	ND	0.0	Pass
Myclobutanil	0.04/0.10	ND	0.1	Pass
Naled	0.50/1.50	ND	0.1	Pass
Oxamyl	0.20/0.50	ND	0.5	Pass
Pacllobutrazol	0.04/0.10	ND	0.0	Pass
Pentachloronitrobenzene	0.04/0.10	ND	0.1	Pass
Permethrins	0.20/0.50	ND	0.5	Pass

Analyte	LOD / LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Phosmet	0.04/0.10	ND	0.1	Pass
Piperonyl Butoxide	0.04/0.10	ND	3.0	Pass
Prallethrin	0.50/1.50	ND	0.1	Pass
Propiconazole	0.04/0.10	ND	0.1	Pass
Propoxur	0.04/0.10	ND	0.0	Pass
Pyrethrins	0.20/0.50	ND	0.5	Pass
Pyridaben	0.04/0.10	ND	0.1	Pass
Spinetoram	0.04/0.10	ND	0.1	Pass
Spinosad	0.04/0.10	ND	0.1	Pass
Spiromesifen	0.04/0.10	ND	0.1	Pass
Spirotetramat	0.04/0.10	ND	0.1	Pass
Spiroxamine	0.04/0.10	ND	0.0	Pass
Tebuconazole	0.04/0.10	ND	0.1	Pass
Thiacloprid	0.04/0.10	ND	0.0	Pass
Thiamethoxam	0.35/1.00	ND	5.0	Pass
Trifloxystrobin	0.04/0.10	ND	0.1	Pass

## RESIDUAL SOLVENT SCREEN ✔ Pass

03/05/2019

**Method:** USP OVI<467>

**Instrument:** Gas Chromatography Mass Spectrometry (GC/MS)

Analyte	LOD / LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
1,2-Dichloroethane	0.40/1.00	ND	1.0	Pass
Acetone	17/75	181.29	5000	Pass
Acetonitrile	1/6	ND	410	Pass
Benzene	0.40/1.00	ND	1.0	Pass
n-Butane	200/600	ND	5000	Pass
Chloroform	0.40/1.00	ND	1.0	Pass
Ethanol	22/100	ND	5000	Pass
Ethyl Acetate	9/40	ND	5000	Pass
Ethyl Ether	11/50	ND	5000	Pass
Ethylene Oxide	0.40/1.00	ND	1.0	Pass
n-Heptane	11/50	<LOQ	5000	Pass
n-Hexane	1/5	ND	290	Pass
Isopropyl Alcohol	11/50	<LOQ	5000	Pass
Methanol	6/25	<LOQ	3000	Pass
Methylene Chloride	0.40/1.00	ND	1.0	Pass
n-Pentane	17/75	ND	5000	Pass
Propane	125/250	ND	5000	Pass
Toluene	3/15	<LOQ	890	Pass
Total Xylenes	1/3	3.57	2170	Pass
Trichloroethylene	0.40/1.00	ND	1.0	Pass

(-) = Not Tested, ND = None Detected, <LOQ = Below Limit of Quantitation, LOD = Limit of Detection

Reported by



Scan to verify