

ANALYZED BY:

Anresco Laboratories
1375 Van Dyke Avenue,
San Francisco, CA 94124
C8-18-0000020-TEMP

CLIENT:

PO#: 2



SAMPLE INFORMATION

Sample No.: 1021839
Product Name: Lemon OG
Matrix: Other
Batch #: 102940
PO Number: 2

Date Received: 02/25/2019
Date Reported: 03/07/2019

TEST SUMMARY

Heavy Metal Screen: ✔ Pass
Overall: ✔ Pass

HEAVY METAL SCREEN ✔ Pass

03/07/2019

Instrument: ICP-MS

| Analyte | LOD / LOQ (µg/g) | Findings (µg/g) | Limit (µg/g) | Status |
|---------|------------------|-----------------|--------------|--------|
| Arsenic | 0.02/0.05 | ND | 0.2 | Pass |
| Cadmium | 0.02/0.05 | ND | 0.2 | Pass |
| Mercury | 0.02/0.05 | ND | 0.1 | Pass |
| Lead | 0.02/0.05 | ND | 0.5 | Pass |

(-) = Not Tested, ND = None Detected, <LOQ = Below Limit of Quantitation, LOD = Limit of Detection

Reported by


Vu Lam
Lab Co Director



Scan to verify

RESEARCH & DEVELOPMENT