

**ANALYZED BY:**

Anresco Laboratories  
1375 Van Dyke Avenue,  
San Francisco, CA 94124  
C8-18-0000020-TEMP

**CLIENT:**

PO#: 2



**SAMPLE INFORMATION**

**Sample No.:** 1021814  
**Product Name:** GG4  
**Matrix:** Other  
**Batch #:** 103297  
**PO Number:** 2

**Date Received:** 02/25/2019  
**Date Reported:** 03/07/2019

**TEST SUMMARY**

**Heavy Metal Screen:** ✔ Pass  
**Overall:** ✔ Pass

**HEAVY METAL SCREEN** ✔ Pass

03/06/2019

**Instrument:** ICP-MS

Analyte	LOD / LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Arsenic	0.02/0.05	ND	0.2	Pass
Cadmium	0.02/0.05	ND	0.2	Pass
Mercury	0.02/0.05	ND	0.1	Pass
Lead	0.02/0.05	ND	0.5	Pass

(-) = Not Tested, ND = None Detected, <LOQ = Below Limit of Quantitation, LOD = Limit of Detection

Reported by

  
Vu Lam  
Lab Co Director



Scan to verify

RESEARCH & DEVELOPMENT